

Roll-Rite® Twin Cable Series

Power Cable Tarp Systems




Super Slider or Top Slider
for Truck & Trailers



Roll-Rite® Twin Cable Series



Motor & Controller



Twin Cable Drive



Pulleys & Cable



Bows & Bow Ends

Quality, durable tarp components engineered for the demands of truck & trailer tarping.


Power Twin Cable Series Features Include:

- **The Electric Motor & Controller:** Electric drive features our extreme Thru-Shaft EX gear motor with the industry's best nonprorated 5-year warranty. Amp sensing controller provides complete motor protection eliminating guesswork from the operator. System will shut down automatically if torque is too high, protecting system and motor from damage. Remote Control Fob with extended range antenna allows for driver to operate tarp from the safety and convenience of inside the cab or at a safe distance away from loading and unloading.
- **The Twin Cable Drive:** A twin cable drive system is the industry standard for applications where single cable systems are not an option. Easy cable tensioning, where each cable can be tensioned separately. Adjusting bolts face forward out of harms way.
- **The Pulleys:** Quality materials and finish with all parts either aluminum or zinc plated steel for superior rust protection and better appearance. One piece V-grooved design pulleys are billet machined, case hardened, zinc plated steel and provide longer life, weather resistant, protection against rust and a professional looking profile. V-groove design is engineered for proper pulley to cable contact and grip, reducing slip on drive pulleys. Rear pulley features forward facing push style tension adjustment designed to keep pulleys parallel to the cable preventing binding and reducing friction for easier operation and easier adjustment. Improved rear pulley location reduces chance of incidental damage.
- **The Cable:** Heavy Duty 1/4" Galvanized Steel Cable for durability and corrosion resistance. Features a 7x19 strand core for improved strength and life cycle of the cable, insuring minimal stretching of the cable. Properly fitted cable length is sized to fit each truck or trailer application.
- **The Bows:** Heavy Duty 16-gauge 1-1/8" galvanized bows are stronger, more durable, robust and corrosion resistant to last longer than competitive bows. Bows available in 6", 12" and 16" arch and in 97.5", 102.5", and 106.5" widths. Easy maintenance with no need to remove ends from cable or change cable to replace bows or change tarps.
- **The Bow Ends:** UHMW Removable Bow Ends are tough and durable to withstand rigors of asphalt, UV rays and harsh weather. Easier bow and tarp replacement with no need to remove cable.

Geared Drive:

Direct drive, no need for a chain and sprocket to get the proper amount of torque. Crank drive available.

- Geared Cable Drive



- Rite-Touch™ Electric Kit



Applications & Benefits:

Roll-Rite Power Twin Cable Series systems are ideal for transfer trucks with pups and end dump, belly dump and live bottom trailers.

- Low profile tarp operation reduces overhead clearance hazards and interference from windy conditions
- Safely control tarp operations from inside the cab, even on pup trailers

Super Slider Series

Twin Cable Drive:

The Super Slider TC System uses a twin cable drive design for a smooth and jam free operation.

- Weatherproof Design... The sliders bring the tarp down over the side rail about 5-1/4". This also prevents the tarp from whipping in the wind
- Clean Profile... Nice appearance with hidden sliders and cables



- Rear Pulley Assembly with Bracket



- Photos may show custom tailored features, your installation may vary

Top Slider Series


Twin Cable Drive:

The Top Slider TC System uses a twin cable drive design with a tarp that covers the top of the opening. The UHMW sliders and twin cable design provides industry standard coverage for general load types.


- Longer Tarp Life... Heavy Duty webbing is sewn along the edge of the tarps to add wear protection in this critical area. The tarp lasts longer because it doesn't rub on the top rails
- High Lift Gate Bow Option... high lift Gate Bows for trailers with high-lift gates are available



- High Lift Gate Bow Option



Radius Mounting Brackets & Bow Options:



- Radius Nose Trailer Corner Kit



- Interchangeable Parts to repair existing systems



- Bow Arches - 6", 12", 16" high and 97.5", 102.5", 106.5" widths

The Cable Tarp:





Anti-Lift Hook Kits


Bolt-on 2-piece Back Flap

Rear Bonnet

Tarps By Roll-Rite®



Mesh



18oz Vinyl

- Load Type: Sand, Rock, Aggregates, Refuse
- Fabric: High quality vinyl coated polyester mesh
- Key Benefit: Open weave design allows air to flow through without billowing
- Load Type: Moisture or temperature sensitive such as asphalt, scrap, grain and fertilizer
- Fabric: 18 oz. water-proof vinyl
- Key Benefit: Seamless full width waterproof material used when a load needs to be kept mostly dry or maintain a temperature range

- Seamless, single piece construction with reinforcements in high wear areas provides a more robust, longer life tarp
- Front of tarp tapers up from the front header to the desired bow height, reducing drag and increasing fuel economy
- Rear finish options allow systems to be tailored to your trailer. 2-piece rear flap prevents bulldozing of load. Rear bonnet allows for fully automatic tarp operation
- Anti-Lift Hook Kits: universal kits prevent tarp from lifting due to wind



Aerodynamic Tapered Front



Maximum Load Clearance: Tarp retracts to clear over 95% load zone



A Safe Fleet Brand

RollRite.com • 800.297.9905

301-RR-TwinCableOverview-4PG-202103

Copyright ©2020 Safe Fleet and its subsidiaries. All rights reserved. No part of this publication may be reproduced by any means without written permission from Safe Fleet. The information in this publication is believed to be accurate. However, Safe Fleet does not make any representation or warranty to that effect and does not assume responsibility for any consequences resulting from use of such information. Revisions or new editions of the publication may be issued (or not issued) in our discretion to incorporate such changes.

1.877.630.7366
safefleet.net

SAFE  FLEET
Driving Safety Forward™